

**HIGH ON TRUST.
HIGH ON VALUE.**





POLY CAB

CABLE GLANDS

Started in 2008, Polycab is the largest cable and wire manufacturer in India, with a proven track record of over 3 decades. We are also the fastest growing company in the Indian cable industry. We have constantly innovated to benefit the consumer and won their trust in delivering the best in quality products.

In this endeavor we have introduced cable glands, a product that is born out of our concern for the consumer's safety. The cable glands are absolutely reliable to ensure consumer safety in all aspects. They are eco-friendly and easy to install. With our experience of many years, we also understand that different devices use cables of varying diameters. The cable glands that we offer, comes in different shapes and sizes to best fit all cables.



QUALITY & SAFETY,
WORTH YOUR TRUST.

SELECTION CHART FOR POLYCAB CABLE GLANDS FOR XLPE INSULATED ARMoured CABLE

		SINGLE CORE			
Cond. Size Area (sq.mm)	Cable O.D.	Single Comp. Type		Double Comp. Type	
		Commercial/ Medium Duty	Heavy Duty	W/P / FLP	Flange Type
4	10.0	PBC 1/2"	PBCH 2	PBW 01SS	PBCF 5
6	10.5	PBC 1/2"	PBCH 2	PBW 01SS	PBCF 5
10	11.5	PBC 5/8"	PBCH 2	PBW 01SS	PBCF 5
16	13.0	PBC 5/8"	PBCH 3	PBW 01SS	PBCF 5
25	14.0	PBC 5/8"	PBCH 3	PBW 01S	PBCF 5
35	15.0	PBC 3/4"	PBCH 3	PBW 01S	PBCF 5
50	17.0	PBC 7/8"	PBCH 4	PBW 01	PBCF 4
70	19.0	PBC 1"	PBCH 5	PBW 02	PBCF 3
95	21.0	PBC 1"	PBCH 5	PBW 03	PBCF 2
120	22.0	PBC 1"	PBCH 6	PBW 03	PBCF 2
150	23.0	PBC 1 1/8"	PBCH 6	PBW 04	PBCF 2
185	25.0	PBC 1 1/8"	PBCH 7	PBW 04	PBCF 1
240	27.0	PBC 1 1/4"	PBCH 7	PBW 05	PBCF 1
300	30.0	PBC 1 1/4"	PBCH 8	PBW 06	PBCF 11
400	34.0	PBC 1 3/8"	PBCH 9	PBW 07	PBCF 0
500	37.5	PBC 1 1/2"	PBCH 9	PBW 08	PBCF 00
630	40.5	PBC 1 3/4"	PBCH 10	PBW 08	PBCF 38
1000	—	—	—	—	—

		DOUBLE CORE			
		Single Comp. Type	Double Comp. Type		
14.5		PBC 5/8"	PBCH 3	PBW 01S	PBCF 5
15.5		PBC 3/4"	PBCH 3	PBW 01S	PBCF 4
17/18		PBC 7/8"	PBCH 5	PBW 01	PBCF 4
17.0		PBC 7/8"	PBCH 5	PBW 01	PBCF 4
18.5		PBC 7/8"	PBCH 5	PBW 02	PBCF 4
20.0		PBC 1"	PBCH 5	PBW 02	PBCF 3
22.5		PBC 1 1/8"	PBCH 6	PBW 03	PBCF 2
25.5		PBC 1 1/8"	PBCH 6	PBW 04	PBCF 1
28.0		PBC 1 1/4"	PBCH 7	PBW 05	PBCF 1
30.5		PBC 1 1/4"	PBCH 8	PBW 06	PBCF 11
34.0		PBC 1 1/2"	PBCH 9	PBW 07	PBCF 0
37.0		PBC 1 1/2"	PBCH 9	PBW 08	PBCF 00
41.0		PBC 1 3/4"	PBCH 10	PBW 09	PBCF 00
45.5		PBC 2"	PBCH 11	PBW 09	PBCF 001
51.0		PBC 2 1/4"	PBCH 12	PBW 010	PBCF 002
56.5		PBC 2 1/2"	PBCH 13	PBW 011	PBCF 003
62.5		PBC 2 3/4"	PBCH 14	PBW 012	PBCF 0033
—		—	—	—	—

		THREE CORE			
		Single Comp. Type	Double Comp. Type		
4	15.0	PBC 3/4"	PBCH 3	PBW 01S	PBCF 5
6	16.0	PBC 3/4"	PBCH 4	PBW 01S	PBCF 4
10	0.9	PBC 7/8"	PBCH 5	PBW 01	PBCF 3
16	18.5	PBC 7/8"	PBCH 5	PBW 02	PBCF 3
25	20.5	PBC 1"	PBCH 5	PBW 03	PBCF 3
35	23.0	PBC 1 1/8"	PBCH 6	PBW 04	PBCF 2
50	25.5	PBC 1 1/8"	PBCH 6	PBW 04	PBCF 1
70	30.0	PBC 1 1/4"	PBCH 8	PBW 06	PBCF 11
95	33.5	PBC 1 3/8"	PBCH 9	PBW 07	PBCF 0
120	35.5	PBC 1 1/2"	PBCH 9	PBW 07	PBCF 00
150	40.5	PBC 1 3/4"	PBCH 10	PBW 08	PBCF 38
185	44.5	PBC 2"	PBCH 11	PBW 09	PBCF 001
240	49.0	PBC 2 1/4"	PBCH 12	PBW 010	PBCF 002
300	53.0	PBC 2 1/4"	PBCH 13	PBW 011	PBCF 003
400	58.5	PBC 2 1/2"	PBCH 13	PBW 011	PBCF 003
500	67.0	PBC 3/4"	PBCH 14	PBW 013A	PBCF 004
630	73.0	PBC 3"	PBCH 16	PBW 013A	PBCF 004
1000	—	—	—	—	—



THREE & HALF CORE

Cond. Size Area (sq.mm)	Cable O.D.	Single Comp. Type		Double Comp. Type	
		Commercial/ Medium Duty	Heavy Duty	W/P / FLP	Flange Type
—	—	—	—	—	—
—	—	—	—	—	—
—	—	—	—	—	—
—	—	—	—	—	—
23.0	PBC 1 1/8"	PBCH 6	PBCH 6	PBW 04	PBCF 2
25.0	PBC 1 1/8"	PBCH 6	PBCH 6	PBW 04	PBCF 1
28.0	PBC 1 1/4"	PBCH 7	PBCH 7	PBW 05	PBCF 1
32.0	PBC 1 3/8"	PBCH 8	PBCH 8	PBW 06	PBCF 11
36.0	PBC 1 1/2"	PBCH 9	PBCH 9	PBW 07	PBCF 00
39.0	PBC 1 3/4"	PBCH 10	PBCH 10	PBW 08	PBCF 38
42.0	PBC 1 3/4"	PBCH 10	PBCH 10	PBW 09	PBCF 001
47.0	PBC 2"	PBCH 11	PBCH 11	PBW 010	PBCF 002
53.5	PBC 2 1/4"	PBCH 13	PBCH 13	PBW 011	PBCF 003
57.0	PBC 2 1/2"	PBCH 13	PBCH 13	PBW 011	PBCF 003
65.0	PBC 2 3/4"	PBCH 14	PBCH 14	PBW 012	PBCF 0033
73.5	PBC 3 1/4"	PBCH 16	PBCH 16	PBW 013	PBCF 004
—	—	—	—	—	—
—	—	—	—	—	—

FOUR CORE

	Cable O.D.	Single Comp. Type		Double Comp. Type	
		Commercial/ Medium Duty	Heavy Duty	W/P / FLP	Flange Type
4	16.5	PBC 3/4"	PBCH 4	PBW 01	PBCF 4
6	17.5	PBC 7/8"	PBCH 4	PBW 01	PBCF 4
10	19.0	PBC 1"	PBCH 5	PBW 02	PBCF 3
16	20.0	PBC 1"	PBCH 5	PBW 03	PBCF 3
25	23.0	PBC 1 1/8"	PBCH 6	PBW 04	PBCF 2
35	25.0	PBC 1 1/8"	PBCH 6	PBW 04	PBCF 1
50	28.0	PBC 1 1/4"	PBCH 7	PBW 05	PBCF 1
70	32.0	PBC 1 3/8"	PBCH 8	PBW 06	PBCF 11
95	35.0	PBC 1 1/2"	PBCH 9	PBW 07	PBCF 00
120	39.0	PBC 1 3/4"	PBCH 10	PBW 08	PBCF 38
150	43.0	PBC 2"	PBCH 11	PBW 09	PBCF 001
185	48.0	PBC 2"	PBCH 12	PBW 010	PBCF 002
240	54.0	PBC 2 1/4"	PBCH 13	PBW 011	PBCF 003
300	59.0	PBC 2 1/2"	PBCH 13	PBW 011	PBCF 003
400	66.5	PBC 2 3/4"	PBCH 14	PBW 013A	PBCF 0033
500	—	—	—	—	—
630	—	—	—	—	—
1000	—	—	—	—	—

CONTROL CABLE 1.5 SQ. MM.

	Cable O.D.	Single Comp. Type		Double Comp. Type	
		Commercial/ Medium Duty	Heavy Duty	W/P / FLP	Flange Type
2	12.5	PBC 5/8"	PBCH 3	PBW 01SS	PBCF 5
3	13.0	PBC 5/8"	PBCH 3	PBW 01SS	PBCF 5
4	13.5	PBC 3/4"	PBCH 3	PBW 01S	PBCF 5
5	14.5	PBC 3/4"	PBCH 3	PBW 01S	PBCF 5
6	15.5	PBC 3/4"	PBCH 3	PBW 01S	PBCF 5
7	15.5	PBC 3/4"	PBCH 3	PBW 01S	PBCF 5
10	18.5	PBC 7/8"	PBCH 5	PBW 02	PBCF 4
12	19.0	PBC 1"	PBCH 5	PBW 02	PBCF 3
14	20.0	PBC 1"	PBCH 5	PBW 02	PBCF 3
16	19.0	PBC 1"	PBCH 5	PBW 02	PBCF 3
19	20.0	PBC 1"	PBCH 5	PBW 02	PBCF 3
24	23.0	PBC 1 1/8"	PBCH 6	PBW 04	PBCF 2
27	23.5	PBC 1 1/8"	PBCH 6	PBW 04	PBCF 2
30	24.0	PBC 1 1/8"	PBCH 6	PBW 04	PBCF 1
37	26.0	PBC 1 1/8"	PBCH 7	PBW 05	PBCF 1
44	28.5	PBC 1 1/4"	PBCH 7	PBW 05	PBCF 1
52	30.5	PBC 1 1/4"	PBCH 8	PBW 06	PBCF 11
61	32.0	PBC 1 3/8"	PBCH 8	PBW 06	PBCF 11



CONTROL CABLE 2.5 SQ. MM.

Single Comp. Type

Double Comp. Type

13.5	PBC 5/8"	PBCH 3	PBW 01S	PBCF 5
14.0	PBC 5/8"	PBCH 3	PBW 01S	PBCF 5
14.5	PBC 5/8"	PBCH 3	PBW 01S	PBCF 5
15.5	PBC 3/4"	PBCH 3	PBW 01S	PBCF 5
16.5	PBC 3/4"	PBCH 4	PBW 01	PBCF 4
16.5	PBC 3/4"	PBCH 4	PBW 01	PBCF 4
21.0	PBC 1"	PBCH 5	PBW 03	PBCF 3
19.5	PBC 1"	PBCH 6	PBW 02	PBCF 3
20.0	PBC 1"	PBCH 6	PBW 03	PBCF 2
21.5	PBC 1"	PBCH 6	PBW 03	PBCF 2
22.5	PBC 1 1/8"	PBCH 6	PBW 03	PBCF 2
25.5	PBC 1 1/8"	PBCH 6	PBW 04	PBCF 1
26.5	PBC 1 1/4"	PBCH 7	PBW 05	PBCF 1
27.5	PBC 1 1/4"	PBCH 7	PBW 05	PBCF 1
29.5	PBC 1 1/4"	PBCH 8	PBW 05	PBCF 1
33.0	PBC 1 3/8"	PBCH 8	PBW 07	PBCF 0
34.5	PBC 1 1/2"	PBCH 9	PBW 07	PBCF 0
36.0	PBC 1 1/2"	PBCH 9	PBW 07	PBCF 0



SINGLE & DOUBLE
COMPRESSION

SINGLE COMPRESSION BRASS CABLE GLANDS

SUITABLE CABLE OVERALL DIA.		CATALOGUE NO.	LIGHT DUTY	MEDIUM DUTY
FROM	TO	CODE	MRP (Per Pc.)	MRP (Per Pc.)
06.0	10.0	PBC 3/8"	29.00	—
08.0	15.0	PBC 1/2"	30.00	32.00
08.0	15.0	PBC 5/8"	30.00	32.00
15.0	17.0	PBC 3/4"	36.00	36.00
17.0	19.0	PBC 7/8"	45.00	43.00
19.0	22.0	PBC 1"	55.00	63.00
22.0	26.0	PBC 1 1/8"	94.00	94.00
26.0	30.5	PBC 1 1/4"	109.00	108.00
30.5	34.0	PBC 1 3/8"	142.00	136.00
34.0	38.0	PBC 1 1/2"	153.00	155.00
38.0	43.0	PBC 1 3/4"	197.00	183.00
43.0	49.0	PBC 2"	248.00	232.00
49.0	54.0	PBC 2 1/4"	337.00	332.00
54.0	61.0	PBC 2 1/2"	406.00	410.00
61.0	67.0	PBC 2 3/4"	454.00	447.00
67.0	73.0	PBC 3"	537.00	515.00
73.0	79.0	PBC 3 1/4"	583.00	561.00
79.0	84.0	PBC 3 1/2"	1035.00	968.00
84.0	94.0	PBC 4"	1184.00	1112.00
94.0	105.0	PBC 4 1/2"	1772.00	1684.00



SINGLE COMPRESSION HEAVY DUTY BRASS CABLE GLANDS AS PER IS:12943

SUITABLE CABLE OVERALL DIA.		CATALOGUE NO.	NIPPLE ENTRY METRIC	MRP (Per Pc.)
FROM	TO	CODE		
11.0	16.0	PBCH 2 (1616)	16 MM	53.00
11.0	16.0	PBCH 3 (1619)	20 MM	53.00
16.0	20.0	PBCH 4 (2119)	20 MM	75.00
16.0	21.0	PBCH 5 (2125)	25 MM	72.00
21.0	24.0	PBCH 6 (2925)	25 MM	123.00
24.0	29.0	PBCH 7 (2932)	32 MM	114.00
29.0	33.0	PBCH 8 (2938)	40 MM	114.00
33.0	37.0	PBCH 9 (3638)	40 MM	208.00
37.0	42.0	PBCH 10 (4251)	50 MM	377.00
42.0	46.0	PBCH 11 (5451)	50 MM	415.00
46.0	51.0	PBCH 12 (5460)	63 MM	415.00
51.0	61.0	PBCH 13 (6063)	63 MM	575.00
61.0	66.0	PBCH 14 (6675)	75 MM	681.00
72.0	79.0	PBCH 16 (7882)	82 MM	945.00



FLANGE TYPE BRASS CABLE GLANDS

SUITABLE CABLE OVERALL DIA.		CATALOGUE NO.	FLANGE TYPE
FROM	TO	CODE	MRP (Per Pc.)
12.0	16.5	PBCF NO.5	95.00
16.5	19.0	PBCF NO. 4	111.00
19.0	21.0	PBCF NO. 3	121.00
21.0	24.0	PBCF NO. 2	158.00
24.0	30.0	PBCF NO. 1	224.00
30.0	33.0	PBCF NO.11	290.00
33.0	35.0	PBCF NO. 0	300.00
35.0	38.0	PBCF NO. 00	309.00
38.0	41.5	PBCF NO. 38	347.00
41.5	46.0	PBCF NO. 001	424.00
46.0	52.5	PBCF NO. 002	493.00
52.5	60.0	PBCF NO. 003	563.00
60.0	67.0	PBCF NO. 0033	629.00
67.0	76.0	PBCF NO. 004	878.00
76.0	90.0	PBCF NO. 005	985.00




PRICE LIST FOR POLYCAB CABLE GLANDS

DOUBLE COMPRESSION BRASS CABLE GLANDS WITH NICKEL PLATED

SUITABLE CABLE OVERALL ENTRY DIA.		Nipple Entry (ET/BSC)	Weatherproof Type as per BS 6121 with IP-67 as per IS:13947 (PBW)		Flameproof Type as per IS:2148 with IP:13947 (PBF)	
FROM	TO	SIZE	CODE	MRP (Per Pc.)	CODE	MRP (Per Pc.)
6.0	12.5	3/4"	PBW 01SS	129.00	PBCF 01SS	166.00
12.5	16.5	3/4"	PBW 01S	144.00	PBCF 01S	179.00
16.5	18.5	3/4"	PBW 01	155.00	PBCF 01	186.00
16.5	18.5	1"	PBW 01A	175.00	PBCF 01A	212.00
18.5	20.0	1"	PBW 02	212.00	PBCF 02	262.00
18.5	20.0	3/4"	PBW 02A	220.00	PBCF 02A	276.00
20.0	23.0	1"	PBW 03	228.00	PBCF 03	297.00
23.0	26.0	1"	PBW 04	297.00	PBCF 04	378.00
23.0	26.0	1 1/4"	PBW 04A	333.00	PBCF 04A	422.00
26.0	30.0	1 1/4"	PBW 05	351.00	PBCF 05	438.00
26.0	30.0	1 1/2"	PBW 05A	367.00	PBCF 05A	470.00
30.0	33.0	1 1/2"	PBW 06	517.00	PBCF 06	630.00
30.0	33.0	1 1/4"	PBW 06A	536.00	PBCF 06A	657.00
33.0	37.0	1 1/2"	PBW 07	597.00	PBCF 07	707.00
37.0	41.0	2"	PBW 08	750.00	PBCF 08	877.00
41.0	46.0	2"	PBW 09	887.00	PBCF 09	1014.00
46.0	52.0	2"	PBW 010	974.00	PBCF 010	1142.00
46.0	52.0	2 1/2"	PBW 010A	1112.00	PBCF 010A	1284.00
52.0	61.0	2 1/2"	PBW 011	1436.00	PBCF 011	1592.00
61.0	66.0	3"	PBW 012	1668.00	PBCF 012	1884.00
66.0	72.0	3"	PBW 013A	2195.00	PBCF 013A	2350.00
72.0	78.0	3 1/4"	PBW 013	2195.00	PBCF 013	2350.00
78.0	84.0	3 1/2"	PBW 014	2633.00	PBCF 014	2783.00
84.0	94.0	4"	PBW 015	3868.00	PBCF 015	3939.00
94.0	104.0	4 1/2"	PBW 016	4392.00	PBCF 016	4574.00





We also manufacture

- All types of Single compression Brass Glands
- All types of Double compression Brass Glands.
- Flange type Glands
- Stainless Steel Glands
- Aluminium Glands
- PG Glands
- Export series Glands
- Cable lugs
- Export series cable lugs
- Stopper Plugs
- Reducers



For any enquiries please contact :

Customer care no.: +91 22 2205 2534 | E-mail: customercare.cableglands@polycab.com
Keravala Building, 2nd floor, 61, Mangaldas Road, Lohar Chawl,
Mumbai-400002, India.

Terms & Conditions:

The Glands are Nickel Plated as standard. • Insurance to be paid by customers. • The price are inclusive of all Government levies. • Goods are despatched by us on purchaser's risk. • All claims for loss, damage or shortage will be filed by the purchaser directly with carriers. • Disputes, if any are subject to Mumbai jurisdiction only. • This Price List supersedes all our earlier Price Lists. • Price are subject to change without notice. • MRP mentioned is for per unit.